

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Eugene Jefferson Address Rt #1 Box 796 Bedias Tex 77831  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County WALKER 1 miles in E direction from Shino  
(Town)

Driller must complete the legal description to the right  
with distance and direction from two intersecting section  
or survey lines, or he must locate and identify the  
well on an official Quarter- or Half-Scale Texas County  
General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map.

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☐ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

4 3/4 Surface 265

Date drilled Sept. 27-83

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0 - 1 Top Soil (Post Oak)  
1 - 30 CLAY (white)  
30 - 50 CLAY + Rock (Blue)  
50 - 58 SAND (brown)  
66 - 77 CLAY (blue)  
77 - 129 CLAY + Shale (Blue)  
129 - 130 Rock  
130 - 154 CLAY + Shale (Blue)  
154 - 209 CLAY (Blue)  
209 - 231 CLAY + SAND (Blue)  
231 - 265 SAND + Rock (Blue)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	<input checked="" type="checkbox"/>	PVC Sch 40	0	235	
4	<input checked="" type="checkbox"/>	PVC Sch 40 Slotted	235	265	010

CEMENTING DATA

Cemented from None 0 ft. to 10 ft.

Method used Poured

Cemented by Arthur Slott  
(Company or Individual)

9) WATER LEVEL:

Static level 90 ft. below land surface Date 9-28-83

Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

RECEIVED

NOV - 9 1983

DEPT. OF  
WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_

Was a chemical analysis made? ☐ Yes ☐ No

10) PACKERS: Type Depth

1 Rubber 235

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:

☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated

Yield: 15 gpm with 70 ft. drawdown after 6 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that  
each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME A A A Water Wells Water Well Driller's License No. 2275  
(Type or Print)

ADDRESS Rt #4 Box 1094 Huntsville Texas 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) Arthur L. Slott (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-18-9H  
Located on map yes c.F.S.M.


**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."




The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

I Eugene Jefferson  
 II John E. Bannette  
 III L. R. Sandel



**LEGEND**

	INTERSTATE HIGHWAY
	U.S. HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	RAILROAD
	RIVER
	LAKE
	RESERVOIR
	NATIONAL FOREST
	CITY
	TOWN
	VILLAGE
	SCHOOL
	CHURCH
	CEMETERY
	POST OFFICE
	GAS STATION
	TELEPHONE EXCHANGE
	POWER LINE
	WATER LINE
	SEWER LINE
	FIRE HYDRANT
	FIRE ALARM BOX
	FIRE STATION
	FIRE ENGINE
	FIRE TRUCK
	FIRE LADDER
	FIRE HOSE
	FIRE BELL
	FIRE ALARM
	FIRE STATION
	FIRE ENGINE
	FIRE TRUCK
	FIRE LADDER
	FIRE HOSE
	FIRE BELL
	FIRE ALARM



**GENERAL HIGHWAY MAP  
 WALKER COUNTY  
 TEXAS**

STATE DEPARTMENT OF HIGHWAYS  
 AND PUBLIC TRANSPORTATION  
 TRANSPORTATION PLANNING DIVISION  
 IN COOPERATION WITH THE  
 U.S. DEPARTMENT OF TRANSPORTATION  
 FEDERAL HIGHWAY ADMINISTRATION

1969

Scale in Miles

0 1 2 3 4 5 6 7 8 9 10

ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy (pink)

# State of Texas WELL REPORT

Texas Department of Licensing &  
Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880 **77340**

1) OWNER Charles Eldritch ADDRESS 53 Whipperwill St (Huntsville) TX  
(Name) (Street or RFD) (City) (State) (Zip)  
2) ADDRESS OF WELL'S LOCATION: 53 Whipperwill St (Huntsville) TX  
County Walker (Street, RFD or other) (City) (State) (Zip) Long. Lat. Grid # 60-18-9

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRC? ☐ Yes ☐ No

## 6) WELL LOG:

Date Drilling:

Started 4-27 1999Completed 4-29 1999

## DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	163'
3 3/8"	163'	178'

## 7) DRILLING METHOD (Check):

☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other \_\_\_\_\_

From (ft.) To (ft.) Description and color of formation material

0-2 Top Soil 147-164 Sand stone  
2-7 Clay 164-178 Sand  
7-21 Shale  
21-42 Shale  
42-63 Shale  
63-65 Rock  
65-83 Shale  
83-84 Rock  
84-116 Shale  
116-118 clay  
118-121 Sal Rock  
121-147 Shale

(Use reverse side of Well Owner's copy, if necessary)

## 8) Borehole Completion (Check):

☐ Open Hole ☒ Straight Wall  
☐ Underreamed ☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	ARC Case	0	163'	*40
2	N	PVC Screen	158'	178'	*4+8

## 9) CEMENTING DATA

Cemented from 163' ft. to 63' ft. No. of sacks used 5  
0 ft. to 10' ft. No. of sacks used 7

Method used

Cemented by

Distance to septic system field lines or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

13) ☐ Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

## 14) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder

☐ Other \_\_\_\_\_Depth to pump bowls, cylinder, jet, etc., 140 ft.

## 15) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ EstimatedYield: 15 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 16) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 14'

Was a chemical analysis made? ☐ Yes ☒ No

## 10) SURFACE COMPLETION

☐ Specified Surface Slab Installed  
☒ Specified Steel Sleeve Installed  
☐ Pitless Adapter Used  
☐ Approved Alternative Procedure Used

## 11) WATER LEVEL:

Static level: 48' ft. below land surface Date 4-29-99  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Rubber Type K Depth 158'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water WellWELL DRILLER'S LICENSE NO. 2011 WPKADDRESS P.O. Box 1788City Trinity State TX Zip 75862

(Signed)

(Licensed Well Driller)

JUN 05 2000

(Signed)

(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

## IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse SideState of Texas  
WELL REPORTTexas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-05301) OWNER Jerald Nichols ADDRESS 1295 US 190 #5 Huntsville TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)2) ADDRESS OF WELL: County Walker Love Loop Rd. Huntsville TX 77340 GRID # 60-18-9  
(Street, RFD or other) (City) (State) (Zip) Long. Lat.3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging  
4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

## 6) WELL LOG:

Date Drilling:  
Started 3-27 20 00  
3-27 20 00

## DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

9 Surface 1177) DRILLING METHOD (Check): ☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other

From (ft.) To (ft.) Description and color of formation material

0	1	Bit t.s.
1	6	Br.Cl.
6	42	Sd.
42	62	Sd. & gr. w/ cl.st.
62	117	Sd. & Gr.

8) Borehole Completion (Check): ☐ Open Hole ☒ Straight Wall  
☐ Underreamed ☒ Gravel Packed ☐ Other  
If Gravel Packed give interval ... from 90 ft. to 117 ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	97	
4	N	PVC Slotted Screen	97	117	#30

## 9) CEMENTING DATA [Rule 338.44(1)]

Cemented from -1.5 ft. to 97 ft. No. of sacks used 9  
ft. to ft. No. of sacks usedMethod used PressureCemented by Holly Water Wells

Distance to septic system field lines or other concentrated contamination ft.

Method of verification of above distance

## 10) SURFACE COMPLETION

- ☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]  
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
☐ Pitless Adapter Used [Rule 338.44(3)(b)]  
☒ Approved Alternative Procedure Used [Rule 338.71]

## 11) WATER LEVEL

Static Level 53 ft. below land surface Date  
Artesian flow gpm Date

## 12) PACKERS: Type Depth

(Use reverse side if necessary)

## 13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ OtherDepth to pump bowls, cylinder, jet, etc., 95 ft.

## 14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated  
Yield: 15 gpm with ft. drawdown after hrs.

## 15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"Type of water? Good Depth of strata 20Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells  
(Type or print)WELL DRILLER'S LICENSE NO. 3114WADDRESS 2928 SH 19  
(Street or RFD)Huntsville TX 77320  
(City) (State) (Zip)(Signed) Raymond M. Pile  
(Licensed Well Driller)

(Signed)

FILE ID	SEQ #
EMP #	APR 25 2000
(Registered Driller Trainee)	

Please attach electric log, chemical analysis, and other pertinent information, if available.



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse SideState of Texas  
WELL REPORTTexas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-05301) OWNER OK Robinson ADDRESS RT 2 Box 3250 Richards TX.  
(Name) (Street or RFD) (City) (State) (Zip)2) ADDRESS OF WELL: Pool Rd. GRID # \_\_\_\_\_  
County Walker (Street or RFD) (City) (State) (Zip)3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

## 6) WELL LOG:

Date Drilling:

Started 6-25 1996Completed 6-27 1996

## DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>95</u>
<u>3 7/8</u>	<u>95</u>	<u>124</u>

## 7) DRILLING METHOD (Check):

☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other \_\_\_\_\_

From (ft.) To (ft.) Description and color of formation material

0-10 Sand

10-50 Sandy clay

50-110 Sand

110-114 Rock

114-124 Hard clay

124-

## 8) Borehole Completion (Check):

☐ Open Hole ☒ Straight Wall  
☐ Underreamed ☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>95</u>	<u>#40</u>
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>95</u>	<u>103</u>	<u>#8</u>
<u>2</u>	<u>N</u>	<u>PVC Blank</u>	<u>103</u>	<u>124</u>	<u>#40</u>

## 9) CEMENTING DATA [Rule 338.44(1)]

Cemented from 95 ft. to 10 ft. No. of sacks used 6  
0 ft. to 10 ft. No. of sacks used 9Method used pressureCemented by Richard McKeeDistance to septic system field lines 84 ft.Method of verification of above distance Tape Measure

## 13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_Depth to pump bowls, cylinder, jet, etc., 80 ft.

## 14) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ EstimatedYield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"Type of water? good Depth of strata 10'Was a chemical analysis made? ☐ Yes ☒ No

## 10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]  
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
☐ Pitless Adapter Used [Rule 338.44(3)(b)]  
☐ Approved Alternative Procedure Used [Rule 338.71]

## 11) WATER LEVEL:

Static level 45 ft. below land surfaceDate 6-27-96

Artesian flow \_\_\_\_\_ gpm.

Date \_\_\_\_\_

## 12) PACKERS:

RubberType KDepth 90'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well  
(Type or print)WELL DRILLER'S LICENSE NO. 20145 TEXAS NATURAL RESOURCE CONSERVATION COMMISSIONADDRESS P.O. Box 1788  
(Street or RFD)Trinity Tx 75862  
(City) (State) (Zip)(Signed) Vernon Gray  
(Licensed Well Driller)(Signed) Richard McKee  
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER Hattie Dinkins Address St 1 Box 80 Shiro TX 77876  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL Walker 10-15 miles in East direction from Shiro  
County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right  
with distance and direction from two intersecting sec-  
tion or survey lines, or he must locate and identify the  
well on an official Quarter- or Half-Scale Texas County  
General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map.

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)

Date drilled 9-26-85

6 1/2 Surface 278

7) BOREHOLE COMPLETION:

☐ Open Hole ☐ Straight Wall ☐ Underreamed  
☒ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval ... from bottom ft. to upward

From To Description and color of formation  
(ft.) (ft.) material

0 - 30	caliche
30 - 45	blue gray cement/shale
45 - 90	sandy shale
90 - 105	shale
105 - 150	sandy shale
150 - 165	sand
165 - 195	sandy shale
195 - 225	shale
225 - 262	sandy shale
262 - 278	sand shale

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC Casing	0	258	
4	N	PVC Screen	258	278	012

9) CEMENTING DATA [Rule 319.44(b)]

Cemented from 0 ft. to 10 ft.  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Method used \_\_\_\_\_

Cemented by \_\_\_\_\_

10) SURFACE COMPLETION

☒ Specified Surface Slab Installed [Rule 319.44(c)]  
☐ Pitless Adapter Used [Rule 319.44(d)]  
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:

Static level 57 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Depth

13) TYPE PUMP:

☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated  
Yield: 10-12 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Shook Drilling Co Water Well Driller's License No. 1490  
(Type or Print)  
ADDRESS Box 88 Shiro TX 77861  
(Street or RFD) (City) (State) (Zip)  
(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-18-9  
Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

## LEGEND

PREPARED BY THE  
STATE DEPARTMENT OF HIGHWAYS  
AND PUBLIC TRANSPORTATION  
TRANSPORTATION PLANNING DIVISION  
IN COOPERATION WITH THE  
U.S. DEPARTMENT OF TRANSPORTATION  
FEDERAL HIGHWAY ADMINISTRATION

1969

**HIGHWAYS REVISED TO MARCH 1, 1983**

WALKER COUNTY TEXAS 236

### KEY TO COUNTRIES

POLYCONIC PROJECTION NORTH AMERICAN DATUM  
CONTROL: U.S. COAST AND GEODETIC SURVEY AND U.S. GEOLOGICAL SURVEY

Hattie Dinkins  
278' 9-26-85°

RECEIVED  
JUN - 8 1963  
TELETYPE UNIT  
COMMUNICATIONS  
SECTION



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
OCT 10 1988  
2:15 PM  
2015 OCT 10 11:15 AM

# 7 WALKER

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-18-9G  
Located on map YES  
Received: C.F.S.

1) OWNER Joe Obaya (Name) Address Rt. 1 Box 72 S Bedias, Texas 77831  
(Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County Walker 13 miles in West direction from Huntsville  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right  
with distance and direction from two intersecting sec-  
tion or survey lines, or he must locate and identify the  
well on an official Quarter- or Half-Scale Texas County  
General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. map on 60-21-3B

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging  
4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 8-4-88  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 261  
7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
		0-2 top soil						
		2-36 white clay						
		36-42 sand streaks	4	N	Plastic	-1 1/2	249	40
		42-47 sand (course)						
		47-68 white clay	2 1/2	N	Stainless steel	260	250	#10
		68-102 hard blue clay						
		102-193 blue clay						
		193-194 rock						
		194-241 blue clay with rock streaks						
		241-243 sand						
		243-252 blue clay						
		252-259 sand						
		259-261 blue clay						

CEMENTING DATA  
Cemented from 249 ft. to 199 ft.  
Method used Pressure  
Cemented by Holly Water Well Service  
(Company or Individual)

9) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
Rubber 245  
LEAD

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 7 ft.  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026  
ADDRESS P.O. Box 638 Riverside Texas 77367  
(Street or RFD) (City) (State) (Zip)  
(Signed) Ralph A. Cadwallader Holly Water Well Service  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

**RECEIVED**

**SEP 11 1980**

**DEPT. OF  
WATER RESOURCES**

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-18-96  
Located on map YES  
Received: C.F.S.

1) OWNER Willie West (Name) Address Gen. Del Shiro Tex 77874 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL County Walker B miles in E direction from Shiro (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:  
Section No. Block No. Township  
Abstract No. Survey Name  
Distance and direction from two intersecting section or survey lines

See attached map. #1. map on 60-29-4X

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:  
Date drilled 9-15-84

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 250  
4 250 350

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other  
If Gravel Packed give interval ... from ft. to ft.

From (ft.) To (ft.) Description and color of formation material

0 2 top soil  
2 74 SAND  
74 80 ROCK  
80 100 shale + rock  
100 110 SAND  
110 206 clay  
206 254 shale  
254 265 SAND  
265 275 SAND + clay  
275 322 shale w/ clay streaks  
322 330 ROCK  
330 350 SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgt., if commercial Setting (ft.) From To Gage Casing Screen  
4 N Plastic 0 250 50/40  
2 1/2 N Plastic 250 330 50/40  
2 1/2 N Plastic Slotted 330 350 010

CEMENTING DATA  
Cemented from 0 ft. to 15 ft.  
Method used  
Cemented by  
(Company or Individual)

9) WATER LEVEL:  
Static level 150 ft. below land surface Date 9-18-84  
Artesian flow gpm. Date

10) PACKERS:  
Type Depth  
Rubber 25'  
" 240'  
" 330'

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other  
Depth to pump bowls, cylinder, jet, etc., 230 ft.

12) WELL TESTS:  
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated  
Yield: 10 gpm with 20 ft. drawdown after 1 hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? hard Depth of strata 20  
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED  
OCT 24 1984  
DEPT. OF  
WATER RESOURCES  
(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME James L. Graham Water Well Drillers Registration No. 1781  
(Type or Print)  
ADDRESS P.O. Box 1590 Willis Texas 77378  
(Street or RFD) (City) (State) (Zip)  
(Signed) Aie- Flo Water Well  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

# 13 WALKER

RUP

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-18-96  
Located on map YES  
Received: C.F.S.

1) OWNER Johnny Coronado Address Rt. 1 Box 150 Bedias, Texas 77831  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County Walker 13 miles in West direction from Huntsville  
(N.E., S.W., etc.) (Town)

☐ Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
☒ See attached map. map on 60-18-34

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging  
4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 11-19-81  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 380  
7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
0-2	top soil		4 N Plastic -1 1/2 364 40
2-25	sand streaks and brown clay		
25-39	sand		
39-180	blue clay		
180-183	rock streaks	2 1/2 N Stainless steel 376 366 #8	
183-203	blue clay and sand streaks		
203-215	blue clay		
215-217	sand		
217-353	blue clay		
353-357	sand		
357-368	blue clay		
368-375	sand		
375-380	sandy clay		

CEMENTING DATA  
Cemented from 304 364 ft. to 314 ft.  
Method used Pressure  
Cemented by Holly Water Well Service  
(Company or Individual)

9) WATER LEVEL:  
Static level 106 ft. below land surface Date 11-21-81  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
Lead L 361

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: 30 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 7 ft.  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026  
(Type or Print)  
ADDRESS P.O. Box 638 Riverside, Texas 77367  
(Street or RFD) (City) (State) (Zip)  
(Signed) Ralph A. Cadwallader Holly Water Well Service  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

**RECEIVED**  
DEC 16 1981  
DEPT. OF  
WATER RESOURCES

State of Texas  
WATER WELL REPORT

**ATTENTION OWNER:** *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only  
Well No. 60-18-9F  
Located on map YES  
Received: TH

1) OWNER CAPE DRILLING Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:  
County WALKER 17 miles in W direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**  
 Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
 Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
 Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☐ See attached map. Map on 60-19-4H

3) TYPE OF WORK (Check):

☒ New Well                      ☐ Deepening

☐ Reconditioning              ☐ Plugging

4) PROPOSED USE (Check):

☐ Domestic ☒ Industrial ☐ Public Supply

☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):

☒ Mud Rotary    ☐ Air Hammer    ☐ Driven    ☐ Bored

☐ Air Rotary    ☐ Cable Tool    ☐ Jetted    ☐ Other

6) WELL LOG:

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	248

7) BOREHOLE COMPLETION:

☐ Open Hole      ☒ Straight Wall      ☐ Underreamed

☐ Gravel Packed      ☐ Other \_\_\_\_\_

If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	8	LIMESTONE
8	22	WHITE CLAY
22	28	SAND
28	34	ROCK
34	60	SAND
60	62	LIGNITE
62	70	BLUE CLAY
70	72	LIGNITE
72	74	ROCK
74	82	SAND
82	88	BLUE CLAY
88	100	SAND
100	134	BLUE CLAY
134	138	ROCK
138	156	FINE SAND
156	172	BLUE CLAY
172	176	ROCK & SAND STR.
176	182	SAND
182	193	BLUE CLAY
193 -	225	SAND
225 -	242	BLUE CLAY
242 -	248	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PLASTIC	- 2	248	46
4	N	PLASTIC	190	230	23

## CEMENTING DATA

Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_  
(Company or Individual)

9) WATER LEVEL:

Static level \_\_\_\_\_ ft. below land surface      Date \_\_\_\_\_

Artesian flow \_\_\_\_\_ gpm.      Date \_\_\_\_\_

10) PACKERS:	Type	Depth
RUBBER		190

11) TYPE PUMP:

☐ Turbine      ☒ Jet      ☐ Submersible      ☐ Cylinder

☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 200 ft.

**13) WATER QUALITY:**

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_

Was a chemical analysis made? ☐ Yes ☐ No

**12) WELL TESTS:**

☐ Type Test:    ☐ Pump    ☐ Bailer    ☐ Jetted    ☐ Estimated

Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY Water Well Drillers Registration No. 801  
(Type or Print)

ADDRESS P.O. Box 37 RIVERSIDE TEXAS 77367  
(Street or RFD) (City) (State) (Zip)

(Signed) E. A. Holly E. A. Holly Co.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

RECEIVED  
SEP 17 '80  
CR/ADWR

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Texas Dept. of Water Resources

RECEIVED  
MAY 7 1980

Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

DEPARTMENT OF WATER RESOURCES COPY



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
JUL 14 1982  
CK/TDWR

RECEIVED  
SEP - 1 1981  
DEPT. OF  
WATER RESOURCES

For TDWR use only  
Well No. 60-18-9E  
Located on map YES  
Received: TH

**TDWR-0392**

**2) LOCATION OF WELL:**

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
SEP 19 1979

Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-18-9D  
Located on map 422  
Received: 79 84C

1) OWNER JACK STANFIELD Address 9734 SOUTH BRT HOUSTON TEXAS 77089  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County WALKER 15 miles in W direction from HUNTSVILLE  
(Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:  
Section No. Block No. Township  
Abstract No. Survey Name  
Distance and direction from two intersecting section or survey lines

See attached map. #7, Map on 60-19-65

3) TYPE OF WORK (Check):

New Well Deepening  
Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Public Supply  
Irrigation Test Well Other

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Driven Bored  
Air Rotary Cable Tool Jetted Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

Date drilled 10-3-78

Surface 423

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed

Gravel Packed Other  
If Gravel Packed give interval from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	184	BLUE CLAY						
184	207	HARD BLUE CLAY						
207	252	BLUE CLAY	4	N	PLASTIC	411	411	SCM 40
252	253	SAND						
253	277	BLUE CLAY	2 1/2	N	STAINLESS STEEL	413	423	75
277	278	SAND						
278	341	BLUE CLAY						
341	345	ROCK						
345	390	BLUE CLAY						
390	413	FINE SAND						
413	423	MED SAND						

CEMENTING DATA

Cemented from 411 ft. to 350 ft.

Method used PRESSURE

Cemented by E.A. HOLLY  
(Company or Individual)

9) WATER LEVEL:

Static level 106 ft. below land surface Date 10-3-78  
Artesian flow gpm. Date

10) PACKERS:

Type Depth

LEAD 405

11) TYPE PUMP:

Turbin Jet Submersible Cylinder

Other

Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS:

Type Test: Pump Bailer Jetted Estimated  
Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? Yes No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? Good Depth of strata 30

Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801  
(Type or Print)

ADDRESS BOX 37 RIVERSIDE TEXAS 77367  
(Street or RFD) (City) (State) (Zip)

(Signed) E.A. HOLLY E.A. HOLLY CO.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**2) LOCATION OF WELL:**

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

**RECEIVED**

**DEC 14 1978**

**DEPT. OF  
WATER RESOURCES**

**RECEIVED**

**APR 17 '79**

**CR/LWR**

1) OWNER:  
Person having well drilled ROY ROBINSON Address RTI RICHARDS TEX  
(Name) (Street or RFD) (City) (State)

Landowner " Address "  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER 13 miles in E<sup>3</sup>W direction from HUNTSMILLE  
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,  
hiway number, etc.\*  
  
OVER  
  
North  
↑  
(Use reverse side if necessary)

or  
Give legal location with distances and directions from  
adjacent sections or survey lines.  
  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
  
Abstract No. \_\_\_\_\_  
  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well ☒ Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_

4) PROPOSED USE (Check):  
Domestic ☒ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_

5) TYPE OF WELL (Check):  
Rotary ☒ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 140 ft. Depth of completed well 140 ft. Date drilled JULY 10-73  
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-2		surface
2-60		clay
60-140		sand

9) Casing:  
Type: Old \_\_\_\_\_ New ☒ Steel \_\_\_\_\_ Plastic ☒ Other \_\_\_\_\_  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
  
Diameter (inches) \_\_\_\_\_ Setting \_\_\_\_\_  
From (ft.) To (ft.) Gage \_\_\_\_\_  
4 0 120 540

10) SCREEN:  
Type PLASTIC  
Perforated \_\_\_\_\_ Slotted ☒  
  
Diameter (inches) \_\_\_\_\_ Setting \_\_\_\_\_  
From (ft.) To (ft.) Slot Size \_\_\_\_\_  
4 120 140 020

(Use reverse side if necessary)

7) COMPLETION (Check):  
Straight wall ☒ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

8) WATER LEVEL:  
Static level 40 ft. below land surface Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No ☒ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No ☒  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No ☒  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226  
(Type or Print)

ADDRESS P.O. Box 4 HUNTSMILLE TEX  
(Street or RFD) (City) (State)

(Signed) Thomas Anders (Water Well Driller) \_\_\_\_\_ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.


Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDB GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JAN - 9 1975  
TEXAS WATER  
DEVELOPMENT BOARD

HUNTSMAN



RECEIVED  
JUN 12 1975  
Central Records  
Texas Water Development Board

1) OWNER:  
Person having well drilled D. LOVE Address RT 1 RICHARDS TEX  
(Name) (Street or RFD) (City) (State)  
Landowner " Address "  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 13 miles in W direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  

OVER  
North  
↑  
(Use reverse side if necessary)

or  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well ☒ Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_

4) PROPOSED USE (Check):  
Domestic ☒ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_

5) TYPE OF WELL (Check):  
Rotary ☒ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 120 ft. Depth of completed well 120 ft. Date drilled JULY 14-73  
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 1		surface
1 - 16		shale
16 - 90		clay
90 - 120		sand

9) CASING:  
Type: Old \_\_\_\_\_ New ☒ Steel \_\_\_\_\_ Plastic ☒ Other \_\_\_\_\_  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	100	540

10) SCREEN:  
Type PLASTIC  
Perforated \_\_\_\_\_ Slotted ☒  

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4	100	120	.020

(Use reverse side if necessary)

7) COMPLETION (Check):  
Straight wall \_\_\_\_\_ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

8) WATER LEVEL:  
Static level 50 ft. below land surface Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No ☒ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No ☒  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No ☒  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME THOMAS ANDER Water Well Drillers Registration No. 1226  
(Type or Print)  
ADDRESS P.O. Box 4 HUNTSVILLE TEX  
(Street or RFD) (City) (State)  
(Signed) Thomas And (Water Well Driller) \_\_\_\_\_ (Company Name) \_\_\_\_\_

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.



2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDB-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.


RECEIVED  
JAN - 9 1975  
TEXAS WATER  
DEVELOPMENT BOARD

O HUNTSVILLE

WALKER LOOP

RECEIVED  
JUN 12 1975  
TEXAS WATER DEVELOPMENT BOARD


STOWARDS RD



Send original copy by  
certified mail to the  
Texas Water Development Board  
P. O. Box 12386  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-18-7A  
Located on map 405  
Received: 75  
dk

1) OWNER: Person having well drilled <u>LW HEANNING</u> (Name) Address <u>RT 1 RICHARDS TEX</u> (Street or RFD) (City) (State) Landowner <u>11</u> (Name) Address <u>11</u> (Street or RFD) (City) (State)																						
2) LOCATION OF WELL: County <u>WALKER</u> , <u>13</u> miles in <u>W</u> direction from <u>HUNTSVILLE</u> (N.E., S.W., etc.) (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* <div style="display: flex; align-items: center;"><div style="flex: 1;"><p>(Use reverse side if necessary)</p></div><div style="flex: 1; text-align: center;"><p>North</p><p>↑</p></div></div> <div style="display: flex; align-items: flex-start;"><div style="flex: 1;"><p>Give legal location with distances and directions from adjacent sections or survey lines.</p><p>Labor _____ League _____</p><p>Block _____ Survey _____</p><p>Abstract No. _____</p><p>(NW¼ NE¼ SW¼ SE¼) of Section _____</p></div></div>																						
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening Reconditioning _____ Plugging _____	4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____	5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____																				
6) WELL LOG: Diameter of hole <u>6 3/4</u> in. Depth drilled <u>120</u> ft. Depth of completed well <u>120</u> ft. Date drilled <u>JULY 17-23</u> All measurements made from <u>1</u> ft. above ground level.																						
<table border="1"><thead><tr><th>From (ft.)</th><th>To (ft.)</th><th>Description and color of formation material</th></tr></thead><tbody><tr><td>0 - 2</td><td></td><td>surface</td></tr><tr><td>2 - 80</td><td></td><td>red clay</td></tr><tr><td>80 - 120</td><td></td><td>sand</td></tr></tbody></table>		From (ft.)	To (ft.)	Description and color of formation material	0 - 2		surface	2 - 80		red clay	80 - 120		sand	9) Casing: Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic _____ Other _____ Cemented from _____ ft. to _____ ft. <table border="1"><thead><tr><th>Diameter (inches)</th><th>Setting From (ft.)</th><th>To (ft.)</th><th>Gage</th></tr></thead><tbody><tr><td>4</td><td>0</td><td>100</td><td>540</td></tr></tbody></table>	Diameter (inches)	Setting From (ft.)	To (ft.)	Gage	4	0	100	540
From (ft.)	To (ft.)	Description and color of formation material																				
0 - 2		surface																				
2 - 80		red clay																				
80 - 120		sand																				
Diameter (inches)	Setting From (ft.)	To (ft.)	Gage																			
4	0	100	540																			
<p>(Use reverse side if necessary)</p>		10) SCREEN: Type <u>Steel Plate</u> Perforated _____ Slotted <input checked="" type="checkbox"/> <table border="1"><thead><tr><th>Diameter (inches)</th><th>Setting From (ft.)</th><th>To (ft.)</th><th>Slot Size</th></tr></thead><tbody><tr><td>4</td><td>100</td><td>120</td><td>020</td></tr></tbody></table>	Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size	4	100	120	020												
Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size																			
4	100	120	020																			
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed _____ Other _____ Under reamed _____ Open Hole _____		11) WELL TESTS: Was a pump test made? Yes _____ No <input checked="" type="checkbox"/> If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																				
8) WATER LEVEL: Static level <u>60</u> ft. below land surface Date _____ Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.		12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No <input checked="" type="checkbox"/> Type of water? _____ depth of strata _____																				
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																						
NAME <u>THOMAS ANDERS</u> (Type or Print) Water Well Drillers Registration No. <u>1226</u> ADDRESS <u>P.O. Box 4</u> (Street or RFD) <u>HUNTSVILLE</u> (City) <u>TEX</u> (State) (Signed) <u>Thomas Anders</u> (Water Well Driller) _____ (Company Name)																						
Please attach electric log, chemical analysis, and other pertinent information, if available.																						

\*Additional instructions on reverse side.


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



JUN 12 1975  
TEXAS WATER DEVELOPMENT BOARD

RECEIVED  
JAN - 9 1975  
TEXAS WATER  
DEVELOPMENT BOARD

*[Handwritten signature]*

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse SideState of Texas  
WELL REPORTTexas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-05301) OWNER Roy Love ADDRESS 2105 Ave J Huntsville TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)2) ADDRESS OF WELL: County Walker 10 M. SW off 3179 Huntsville TX 77340 GRID # 60 18 9  
(Street, RFD or other) (City) (State) (Zip) Long. Lat.3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

## 6) WELL LOG:

Date Drilling:

Started 4/22 19 99  
4/23 19 99

## DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)  
8 Surface 100

## 7) DRILLING METHOD (Check):

☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other

From (ft.) To (ft.) Description and color of formation material

0 1 Bit t.s.1 5 Red cl.5 11 Sd.11 21 Wh.cl.21 31 Soft br.cl.31 41 Sd.41 100 Sd. & gr.8) Borehole Completion (Check): ☐ Open Hole ☒ Straight Wall☐ Underreamed ☒ Gravel Packed ☐ Other  
If Gravel Packed give interval ... from 75' ft. to 100' ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>-1.5</u>	<u>90</u>	
<u>4</u>	<u>N</u>	<u>PVC slotted screen</u>	<u>80</u>	<u>100</u>	<u>#20</u>

## 9) CEMENTING DATA [Rule 338.44(1)]

Cemented from -1.5 ft. to 90 ft. No. of sacks used 9  
ft. to ft. No. of sacks usedMethod used By pressureCemented by R. McPike

Distance to septic system field lines or other concentrated contamination ft.

Method of verification of above distance

## 10) SURFACE COMPLETION

- ☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
- ☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
- ☒ Pitless Adapter Used [Rule 338.44(3)(b)]
- ☐ Approved Alternative Procedure Used [Rule 338.71]

## 11) WATER LEVEL

Static Level 35 ft. below land surface Date  
Artesian flow gpm Date

## 12) PACKERS: Type Depth

## 13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ OtherDepth to pump bowls, cylinder, jet, etc., 90 ft.

## 14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: 30 gpm with ft. drawdown after hrs.

## 15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"Type of water? Good Depth of strata 59'Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.

COMPANY NAME Holly Water Wells

(Type or print)

ADDRESS 2928 SH 19

(Street or RFD)

(Signed)

Raymond McPike  
(Licensed Well Driller)

(Signed)

(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse SideState of Texas  
WELL REPORTTexas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-05301) OWNER Andrew Love ADDRESS 1120 LOVELOOP RICHARDS TX 77873  
(Name) (Street or RFD) (City) (State) (Zip)2) ADDRESS OF WELL: County Walker Love Loop Richards TX 77873 GRID # 60-18-9  
(Street, RFD or other) (City) (State) (Zip)3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

## 6) WELL LOG:

Date Drilling:  
Started 11-15 19 99  
11-16 19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>8</u>	Surface	<u>110</u>

7) DRILLING METHOD (Check): ☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>1</u>	<u>Bit t.s.</u>
<u>1</u>	<u>8</u>	<u>Red Cl.</u>
<u>8</u>	<u>41</u>	<u>Sd.</u>
<u>41</u>	<u>61</u>	<u>W. cl. w/ sd.st.</u>
<u>61</u>	<u>81</u>	<u>Sd. &amp; gr.</u>
<u>81</u>	<u>101</u>	<u>Sd &amp; gr. w/ cl.st.</u>
<u>101</u>	<u>110</u>	<u>Sd. w/ cl. st.</u>

8) Borehole Completion (Check): ☐ Open Hole ☒ Straight Wall  
☐ Underreamed ☒ Gravel Packed ☐ Other  
If Gravel Packed give interval ... from 80 ft. to 110 ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC Casino</u>	<u>-1.5</u>	<u>110</u>	
<u>4</u>	<u>N</u>	<u>Slotted screen</u>	<u>90</u>	<u>110</u>	<u>#20</u>

## 9) CEMENTING DATA [Rule 338.44(1)]

Cemented from -1.5 ft. to 110 ft. No. of sacks used 9  
ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_Method used PressureCemented by R. McPike

Distance to septic system field lines or other concentrated contamination \_\_\_\_\_ ft.

Method of verification of above distance \_\_\_\_\_

## 10) SURFACE COMPLETION

- ☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
- ☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
- ☒ Pitless Adapter Used [Rule 338.44(3)(b)]
- ☐ Approved Alternative Procedure Used [Rule 338.71]

## 11) WATER LEVEL

Static Level 50 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_

## 12) PACKERS:

Type \_\_\_\_\_ Depth \_\_\_\_\_

## Gravel Pack

(Use reverse side if necessary)

## 13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_Depth to pump bowls, cylinder, jet, etc., 100 ft.

## 14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated  
Yield: 12 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 15) WATER QUALITY:


Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"Type of water? Good Depth of strata 9Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells  
(Type or print)WELL DRILLER'S LICENSE NO. 3114WADDRESS 2928 SH 19  
(Street or RFD)Huntsville  
(City)TX 77320  
(State) (Zip)(Signed) Raymond McPike  
(Licensed Well Driller)(Signed) \_\_\_\_\_  
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that proper record-keeping is essential for transparency and accountability, particularly in financial matters. The text suggests that organizations should implement robust systems to track every detail, from small expenses to major investments.

2. The second section focuses on the role of technology in modern record-keeping. It highlights how digital tools can streamline the process, reduce errors, and provide real-time access to data. The author argues that while technology offers significant advantages, it must be used responsibly, with appropriate security measures in place to protect sensitive information.

3. The third part of the document addresses the challenges of data management. It notes that as the volume of data grows, organizations must find ways to organize and analyze it effectively. This involves not only choosing the right tools but also training staff to use them correctly. The text stresses that data is only as good as the people who manage it.

4. The fourth section discusses the importance of regular audits and reviews. It explains that periodic checks are necessary to ensure that records are up-to-date and accurate. The author suggests that audits should be conducted by independent parties to avoid conflicts of interest and to provide an objective assessment of the system's performance.

5. The fifth part of the document explores the legal and regulatory requirements surrounding record-keeping. It mentions that various industries have specific rules regarding how long records must be kept and how they should be stored. Organizations must stay informed about these regulations to avoid penalties and ensure compliance.

6. The sixth section talks about the future of record-keeping. It predicts that as artificial intelligence and machine learning continue to advance, there will be new ways to analyze and manage data. The author encourages organizations to stay ahead of the curve by investing in research and development in these areas.

7. The seventh part of the document provides some practical advice for implementing a record-keeping system. It suggests starting with a clear plan, identifying the key areas that need to be tracked, and then choosing the right tools and processes. The author also emphasizes the importance of communication and collaboration between different departments to ensure that everyone is on the same page.

8. The eighth section discusses the benefits of a well-implemented record-keeping system. It lists several advantages, including improved efficiency, better decision-making, and enhanced security. The author argues that a strong record-keeping system is a cornerstone of any successful organization.

9. The ninth part of the document addresses common misconceptions about record-keeping. It clarifies that it is not just about storing data but also about making it useful. The author points out that many organizations fail to take the time to analyze their records, which is a missed opportunity for improvement.

10. The final section of the document concludes with a call to action. It encourages organizations to take a proactive approach to record-keeping, rather than reacting to problems as they arise. The author believes that by following the principles outlined in the document, organizations can achieve a high level of transparency and accountability.